Author Index

A

Al-Basarah K: See Dean E

Allard P: See Sadeghi H

Appleton J: See Camp PG

Arena R: See Humphrey R

Arnadottir SA, Mercer VS. Effects of footwear on measurements of balance and gait in women between the ages of 65 and 93 years. 2000;80:17–27.

Aslin K: See Cibulka MT

Avery LM: See Russell DJ

Axe MJ: See Fitzgerald GK

B

Baggett K: See Hrachovy J

Ball DW: See Ernst GP

Bender DG. Letter to the editor. [RE: Editor's note: The curmudgeon finds good news!] 2000;80:1018–1019.

Bartlett DJ. Invited commentary. [RE: Expert practice in physical therapy.] 2000;80:44–46.

Bartlett DJ, Palisano RJ. A multivariate model of determinants of motor change for children with cerebral palsy. 2000;80:598–614.

Basso DM. Neuroanatomical substrates of functional recovery after experimental spinal cord injury: implications of basic science research for human spinal cord injury. 2000;80:808–817.

Beckerman H: See Van der Lee JH

Bedard M: See Fox P

Behrman AL, Harkema SJ. Locomotor training after human spinal cord injury: a series of case studies. 2000;80:688–700.

Beissner KL, Collins JE, Holmes H. Muscle force and range of motion as predictors of function in older adults. 2000;80: 556–563.

Beissner KL, Holmes H. Author response to letter to the editor. [RE: Muscle force and range of motion as predictors of function in older adults.] 2000;80: 1015.

Beninato M: See Gill-Body KM

Beraldo PSS, Mateus SRM, Fernandes MCBC. Letter to the editor. [RE: Cough threshold in people with spinal cord injuries.] 2000;80:416.

Best MO: See Cromie JE

Blanton S, Wolf SL. Author response to letter to the editor. [RE: An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke.] 2000;80:712–713.

Bogaerts K: See Nieuwboer A

Bouter LM: See Van der Lee JH

Brauer S: See Shumway-Cook A

Brouwer BJ: See Walker C

Brown S. Letter to the editor. [RE: Editor's note: Sex appeal.] 2000;80:711.

Burger BJ: See Vermeulen HM

Burgess S: See Klucinec B

Burks RI. Letter to the editor. [RE: Effectiveness of wound care products in the transmission of acoustic energy.] 2000;80:1015–1016.

Butts NL: See Hanten WP

C

Camp PG, Appleton J, Reid WD. Quality of life after pulmonary rehabilitation: assessing change using quantitative and qualitative methods. 2000;80:986–995.

Caniglia AF. Letter to the editor. [RE: Editor's note: Immelmann's indignation; Thirtieth Mary McMillan Lecture: PT 2000: nurturing the profession; 1999 APTA Presidential Address: Leaders who inspire change.] 2000;80:110.

Cantwell J: See Hrachovy J

Carlson C: See McNevin NH

Catlin PA: See Kapasi ZF

Chen LC: See Jeng SF

Cibulka MT, Aslin K. Letter to the editor. [RE: Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain.] 2000;80:414.

Cibulka MT, Aslin K. Letter to the editor. [RE: Measurement of sacroiliac joint dysfunction: a multicenter intertester reliability study.] 2000;80:528–529.

Clopton NA, Duvall T, Ellis B, et al. Investigation of trunk and extremity movement associated with passive head turning in newborns. 2000;80:152–159.

Clopton NA: See Hrachovy J

Collins JE: See Beissner KL

Cook KF: See Roddey TS

Cook TM: See Ludewig PM

Craik RL. Spinal cord injury: the bridge between basic science and clinical practice. 2000;80:671–672.

Creel GL: See Thigpen MT

Cromie JE, Robertson VJ, Best MO. Letter to the editor. [RE: Letter to the editor on "Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants."] 2000;80:529–520.

Cromie JE, Robertson VJ, Best MO. Work-related musculoskeletal disorders in physical therapists: prevalence, severity, risks, and responses. 2000;80:336–351.

Cross DL. Letter to the editor. [RE: Vocational rehabilitation perspective.] 2000;80:621.

Culham EG, Daubney ME. Author response to letter to the editor. [RE: Lower-extremity muscle force and balance performance in adults aged 65 years and older.] 2000;80:528.

Culham EG, Daubney ME. Author response to letter to the editor. [RE: Lower-extremity muscle force and balance performance in adults aged 65 years and older.] 2000;80:623–624.

Culham EG: See Walker C

D

Dalton GW, Keating JL. Number needed to treat: a statistic relevant for physical therapists. 2000;80:1214–1219.

Daubney ME: See Culham EG

Dean E, Frownfelter D, Wong WP, et al. Letter to the editor. [RE: Editor's note: The curmudgeon finds good news!] 2000;80:1275–1278.

Dean E: See Noonan V

DeCarlo MS: See Rothstein JM

Denegar C: See Klucinec B

De Weerdt W: See Nieuwboer A

Dewey D. Letter to the editor. [RE: Editor's note: Immelmann's indignation.] 2000;80:112, 114.

Diduch DR: See Ernst GP

Dodd SL: See Eason JM

Dom R: See Nieuwboer A

Domholdt E: See Klucinec B

Donati J. Letter to the editor. [RE: Editor's note: The curmudgeon finds good news!] 2000;80:422–423.

Donovan F: See Mautes AEM

Duhaime M: See Sadeghi H

Duvall T: See Clopton NA

E

Eagan KS: See Youdas JW

Eason JM, Dodd SL, Powers SK, Martin AD. Detrimental effects of short-term glucocorticoid use on the rat diaphragm. 2000;80:160–167.

Elliott MA: See Shaffer MA

Elliott SD: See Goldstein MS

Ellis B: See Clopton NA

Ernst GP, Saliba E, Diduch DR, et al. Lower-extremity compensations following anterior cruciate ligament reconstruction. 2000;80:251–260.

Esterhai JL Jr: See Shaffer MA

F

Fagevik-Olsén, M: See Dean E

Fernandes MCBC: See Beraldo PSS

Field-Fote EC. Spinal cord control of movement: implications for locomotor rehabilitation following spinal cord injury. 2000;80:477–484.

Fish SL. Letter to the editor. [RE: Editor's note: The curmudgeon finds good news!] 2000;80:423–424.

Fishbain DA. Letter to the editor. [RE: Functional capacity evaluation.] 2000;80:110, 112.

Fitzgerald GK, Axe MJ, Snyder-Mackler L. Author comment on conference. [RE: The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physically active individuals.] 2000;80:150–151.

Fitzgerald GK, Axe MJ, Snyder-Mackler L. Author response to letter to the editor. [RE: The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physically active individuals.]. 2000;80:527.

Fitzgerald GK, Axe MJ, Snyder-Mackler L. The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physically active individuals. 2000;80:128–140.

Flynn SM: See Thigpen MT

Fox P, Richardson J, McInnes B, et al. Effectiveness of a bed positioning program for treating older adults with knee contractures who are institutionalized. 2000;80:363–372.

Freburger JK. An analysis of the relationship between the utilization of physical therapy services and outcomes of care for patients after total hip arthroplasty. 2000;80:448–458.

Freburger JK, Riddle DL. Author response to letter to the editor. [RE: Measurement of sacroiliac joint dysfunction: a multicenter intertester reliability study.] 2000;80:529.

Frownfelter D: See Dean E

Fulcher K: See White P

Furman JM, Whitney SL. Central causes of dizziness. 2000;80:179–187.

G

Galuppi BE: See Palisano RJ

Garber T: See Hrachovy J

Garrett TR: See Youdas JW

Gartsman GM: See Roddey TS

Gill-Body KM, Beninato M, Krebs DE. Relationship among balance impairments, functional performance, and disability in people with peripheral vestibular hypofunction. 2000;80:748–758.

Goldstein MS, Elliott SD, Guccione AA. The development of an instrument to measure satisfaction with physical therapy. 2000;80:853–863.

Gosselink R: See Dean E

Grenier SG: See Vera-Garcia FJ

Gruben KG: See Miller BF

Guccione AA: See Goldstein MS

Gwyer J: See Jensen GM

H

Habib Z: See Dean E

Hack LM: See Jensen GM

Hanna SE: See Palisano RJ

Hansen PD. Letter to the editor. [RE: Health care.] 2000;80:527.

Hanten WP, Olson SL, Butts NL, Nowicki AL. Effectiveness of a home program of ischemic pressure followed by sustained stretch for treatment of myofascial trigger points. 2000;80:997–1003.

Hanten WP: See Roddey TS

Harkema SJ: See Behrman AL

Hart DL. Letter to the editor. [RE: Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants.] 2000;80:621–622.

Holmes H: See Beissner KL

Hopkins-Rosseel D: See Dean E

Hrachovy J, Clopton NA, Baggett K, et al. Use of The Blue MACS: acceptance by clinical instructors and self-reports of adherence. 2000;80:652–661.

Hsiao SF: See Jeng SF

Humphrey R, Arena R. Surgical innovations for chronic heart failure in the context of cardiopulmonary rehabilitation. 2000;80:61–69.

Hurwitz SR: See Ernst GP

I

Irrgang JJ: See Rothstein JM

Irwin S. Letter to the editor. [RE: Editor's note: The curmudgeon finds good news!] 2000;80:715–716.

Irwin S. Letter to the editor. [RE: Lower-extremity muscle force and balance performance in adults aged 65 years and older.] 2000;80:622–623.

J

Jeng SF, Yau KIT, Chen LC, Hsiao SF. Alberta Infant Motor Scale: reliability and validity when used on preterm infants in Taiwan. 2000;80:168–178.

Jensen GM, Gwyer J, Shepard KF, Hack LM. Author response to invited commentary. [RE: Expert practice in physical therapy.] 2000;80:49–52.

Jensen GM, Gwyer J, Shepard KF, Hack LM. Author response to letter to the editor. [RE: Expert practice in physical therapy.] 2000;80:531.

Jensen GM, Gwyer J, Shepard KF, Hack LM. Expert practice in physical therapy. 2000;80:28–43.

Johnson D, Rogers M. Letter to the editor. [RE: Spinal manipulation.] 2000;80: 820–823.

Jones A: See Dean E

Joyner DR: See Kapasi ZF

Judge JO: See King MB

K

Kaminker MK. Letter to the editor. [RE: Editor's note: Thirty years later . . .] 2000;80:530.

Kapasi ZF, Catlin PA, Joyner DR, et al. The effects of intense physical exercise on secondary antibody response in young and old mice. 2000;80:1076–1086.

Kauffman T. Letter to the editor. [RE: Editor's note: Immelmann's indignation.] 2000;80:416.

Keating JL: See Dalton GW

King MB, Judge JO, Whipple R, Wolfson L. Reliability and responsiveness of two physical performance measures examined in the context of a functional training intervention. 2000;80:8–16.

Klucinec B, Scheidler M, Denegar C, et al. Author response to letter to the editor. [RE: Effectiveness of wound care products in the transmission of acoustic energy.] 2000;80:1016–1017.

Klucinec B, Scheidler M, Denegar C, et al. Effectiveness of wound care products in the transmission of acoustic energy. 2000;80:469–476.

Knutson LM: See Soderberg GL

Kok GJ: See Vermeulen HM

Krebs DE: See Gill-Body KM

L

Lankhorst GJ: See Van der Lee JH

Levangie PK. Author response to letter to the editor. [RE: Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain.] 2000;80:414–415.

Lewis ML: See Kapasi ZF

Light KE: See Thigpen MT

Lin KH. Author response to letter to the editor. [RE: Cough threshold in people with spinal cord injuries.] 2000;80:416.

Lomi C: See Dean E

Ludewig PM, Cook TM. Alterations in shoulder kinematics and associated muscle activity in people with symptoms of shoulder impingement. 2000;80:276–291.

Luedtke-Hoffmann KA, Schafer DS. Pulsed lavage in wound cleansing. 2000;80:292–300.

M

Mackey KM, Sparling JW. Experiences of older women with cancer receiving hospice care: significance for physical therapy. 2000;80:459–468.

Maluf KS, Sahrmann SA, Van Dillen LR. Use of a classification system to guide nonsurgical management of a patient with chronic low back pain. 2000;80:1097–1111.

Martin AD: See Eason JM

Mateus SRM: See Beraldo PSS

Mautes AEM, Weinzierl MR, Donovan F, Noble LJ. Vascular events after spinal cord injury: contribution to secondary pathogenesis. 2000;80:673–687.

McClay IS: See Williams DS

McEwen IR: See Randall KE

McGill SM: See Vera-Garcia FJ

McInnes B: See Fox P

McNevin NH, Wulf G, Carlson C. Effects of attentional focus, self-control, and dyad training on motor learning: implications for physical rehabilitation. 2000;80:373–385.

McPoil TG: See Orlin MN

Mecagni C, Smith JP, Roberts KE, O'Sullivan SB. Balance and ankle range of motion in community-dwelling women aged 64 to 87 years: a correlational study. 2000;80:1004–1011.

Mens JMA, Snijders CJ, Stam HJ. Diagonal trunk muscle exercises in peripartum pelvic pain: a randomized clinical trial. 2000;80:1164–1173.

Mercer VS: See Arnadottir SA

Miller BF, Gruben KG, Morgan BJ. Circulatory responses to voluntary and electrically induced muscle contractions in humans. 2000;80:53–60.

Minkel JL. Seating and mobility considerations for people with spinal cord injury. 2000;80:701–709.

Mitchell RU. Invited commentary. [RE: Expert practice in physical therapy.] 2000;80:46–47.

Morgan BJ: See Miller BF

Morris ME. Movement disorders in people with Parkinson disease: a model for physical therapy. 2000;80:578–597.

Mueller MJ: See Salsich GB

Musser M: See Clopton NA

Myers C. Letter to the editor. [RE: The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physically active individuals.] 2000;80:526.

N

Ng GYF: See Yeung SSM

Nieuwboer A, De Weerdt W, Dom R, et al. Development of an activity scale for individuals with advanced Parkinson disease: reliability and "on-off" variability. 2000;80:1087–1096.

Noble LJ: See Mautes AEM

Noonan V, Dean E. Submaximal exercise testing: clinical application and interpretation. 2000;80:782–807.

Nowicki AL: See Hanten WP

Nuyens G: See Nieuwboer A

O

Obermann WR: See Vermeulen HM

O'Hearn M. Letter to the editor. [RE: Editor's note: The curmudgeon finds good news!] 2000;80:714–715.

Okereke E: See Shaffer MA

Olson SL: See Hanten WP

Olson SL: See Roddey TS

Orlin MN, McPoil TG. Plantar pressure assessment. 2000;80:399–409.

O'Sullivan SB: See Mecagni C

P

Palisano RJ, Hanna SE, Rosenbaum PL, et al. Validation of a model of gross motor function for children with cerebral palsy. 2000;80:974–985.

Palisano RJ: See Bartlett DJ

Palisano RJ: See Russell DJ

Powers CM. Patellar kinematics, part I: the influence of vastus muscle activity in subjects with and without patello-femoral pain. 2000;80:956–964.

Powers CM. Patellar kinematics, part II: the influence of the depth of the trochlear groove in subjects with and without patellofemoral pain. 2000;80:965–973.

Powers SK: See Eason JM

Pryor JA: See Dean E

Purtilo RB. Thirty-First Mary McMillan Lecture: A time to harvest, a time to sow: ethics for a shifting landscape. 2000;80:1112–1119.

R

Raina PS: See Palisano RJ

Raina PS: See Russell DJ

Randall KE, McEwen IR. Writing patient-centered functional goals. 2000;80:1197–1203

Ravindra S: See Dean E

Reid WD: See Camp PG

Richardson J: See Fox P

Richardson JK. 2000 APTA Presidential Address: Tipping the scales of time. 2000;80:1121–1124.

Riddle DL: See Freburger JK

Riddle DL: See Sullivan MS

Roberts KE: See Mecagni C

Robertson VJ: See Cromie JE

Robinson S: See Soderberg GL

Roddey TS, Olson SL, Cook KF, et al. Comparison of the University of California–Los Angeles Shoulder Scale and the Simple Shoulder Test with the Shoulder Pain and Disability Index: single-administration reliability and validity. 2000;80:759–768.

Rogers M: See Johnson D

Rosenbaum PL: See Palisano RJ

Rosenbaum PL: See Russell DJ

Rothstein JM. Editor's note: The Agenda. 2000;80:446–447.

Rothstein JM. Editor's note: As professionals, as people—we must be activists. 2000;80:1074–1075.

Rothstein JM. Editor's note: Election Night Lessons. 2000;80:1162–1163.

Rothstein JM. Editor's note: Evidence, or snake oil? 2000;80:851–852.

Rothstein JM. Editor's note: Mentor: another word, another fashion statement. 2000;80:954–955.

Rothstein JM. Editor's note: Neuroscience and spinal cord injury: plasticity in the brain, in the spinal cord—and in our way of thinking. 2000;80:650–651.

Rothstein JM. Editor's note: Research productivity: time to lead. 2000;80:746–747.

Rothstein JM. Editor's note: Sex appeal. 2000;80:238–239.

Rothstein JM. Editor's note: So *we* say? 2000;80:334–335.

Rothstein JM. Editor's note: "Sweetness." 2000;80:126–127.

Rothstein JM. Editor's note: Talk to us. 2000;80:554–555.

Rothstein JM. Editor's note: Thirty years later. . . . 2000;80:6–7.

Rothstein JM. Editor's response to letter to the editor. [RE: Editor's note: Immelmann's indignation.] 2000;80:114–115.

Rothstein JM, DeCarlo MS, Irrgang JJ, Wilk KE. Conference. [RE: The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physically active individuals.] 2000;80:141–150.

Rozing PM: See Vermeulen HM

Russek LN. Examination and treatment of a patient with hypermobility syndrome. 2000;80:386–398.

Russell DJ, Avery LM, Rosenbaum PL, et al. Improved scaling of the Gross Motor Function Measure for children with cerebral palsy: evidence of reliability and validity. 2000;80:873–885.

Russell DJ: See Palisano RJ

S

Sadeghi H, Allard P, Duhaime M. Contributions of lower-limb muscle power in gait of people without impairments. 2000;80:1188–1196.

Sahrmann SA: See Maluf KS

Sahrmann SA: See Salsich GB

Saliba E: See Ernst GP

Salsich GB, Mueller MJ, Sahrmann SA. Passive ankle stiffness in subjects with diabetes and peripheral neuropathy versus an age-matched comparison group. 2000;80:352–362.

Schafer DS: See Luedtke-Hoffmann KA

Scheidler M: See Klucinec B

Schreiber J: See Hrachovy J

Schwartz AL: See Kapasi ZF

Shaffer MA, Okereke E, Esterhai JL Jr, et al. Effects of immobilization on plantar-flexion torque, fatigue resistance, and functional ability following an ankle fracture. 2000;80:769–780.

Shepard KF: See Jensen GM

Shoaf LD: See Sullivan MS

Shumway-Cook A, Brauer S, Woollacott M. Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test. 2000;80:896–903.

Skinner M: See Dean E

Smith JP: See Mecagni C

Smyntek DJ. Letter to the editor. [RE: Expert practice in physical therapy.] 2000;80:530–531.

Snijders CJ: See Mens JMA

Snyder-Mackler L: See Fitzgerald GK

Soderberg GL, Knutson LM. A guide for use and interpretation of kinesiologic electromyographic data. 2000;80:485–498.

Soderberg GL, Robinson S. Letter to the editor. [RE: Lower-extremity muscle force and balance performance in adults aged 65 years and older.] 2000;80:528.

Sparling JW: See Mackey KM

Stam HJ: See Mens JMA

Sullivan MS, Shoaf LD, Riddle DL. The relationship of lumbar flexion to disability in patients with low back pain. 2000;80:240–250.

Swaine BR. Invited commentary. [RE: Expert practice in physical therapy.] 2000;80:47–49.

T

Tait D: See Fox P

Therneau TM: See Youdas JW

Thigpen MT, Light KE, Creel GL, Flynn SM. Turning difficulty characteristics of adults aged 65 years or older. 2000;80:1174–1187.

Tomlinson JD. Managing maneuverability and rear stability of adjustable manual wheelchairs: an update. 2000;80:904–911.

Townsend EL: See Kapasi ZF

V

Vandenborne K: See Shaffer MA

van den Ende CHM: See Vermeulen HM

Van der Lee JH, Beckerman H, Lankhorst GJ, Bouter LM. Letter to the editor. [RE: An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke.] 2000;80:711–712.

Van Dillen LR: See Maluf KS

Varghese S: See Clopton NA

Vera-Garcia FJ, Grenier SG, McGill SM. Abdominal muscle response during curl-ups on both stable and labile surfaces. 2000;80:564–569.

Vermeulen HM, Obermann WR, Burger BJ, et al. End-range mobilization techniques in adhesive capsulitis of the shoulder joint: a multiple-subject case report. 2000;80:1204–1213.

W

Walker C, Brouwer BJ, Culham EG. Use of visual feedback in retraining balance following acute stroke. 2000;80:886–895.

Walter GA: See Shaffer MA

Walter SD: See Palisano RJ

Walter SD: See Russell DJ

Weinzierl MR: See Mautes AEM

Werner SW. Letter to the editor. [RE: Muscle force and range of motion as predictors of function in older adults.] 2000;80:1015.

Whipple R: See King MB

White P, Fulcher K. Letter to the editor. [RE: Acute effects of thirty minutes of light-intensity, intermittent exercise on patients with chronic fatigue syndrome.] 2000;80:115.

Whitney SL: See Furman JM

Wilk KE: See Rothstein JM

Williams DS, McClay IS. Measurements used to characterize the foot and the medial longitudinal arch: reliability and validity. 2000;80:864–871.

Wolf SL: See Blanton S

Wolfson L: See King MB

Wong WP. Physical therapy for a patient in acute respiratory failure. 2000;80:662–670.

Wong WP: See Dean E

Wood EP: See Palisano RJ

Woollacott M: See Shumway-Cook A

Wulf G: See McNevin NH

Y

Yau KIT: See Jeng SF

Yeung SSM, Ng GYF. Effects of squat lift training and free weight muscle training on maximum lifting load and isokinetic peak torque of young adults without impairments. 2000;80:570–577.

Yim SH: See Shaffer MA

Youdas JW, Garrett TR, Egan KS, Therneau TM. Lumbar lordosis and pelvic inclination in adults with chronic low back pain. 2000;80:261–275.

Subject Index

A

American Physical Therapy Association

Awards. 2000;80:923–924.

Bylaws. 2000;80:1026–1035.

Call for Nominations. 2000;80:920–922.

Code of Ethics. 2000;80:81.

Clinical Research Agenda for Physical Therapy. 2000;80:499–513.

Elected and Appointed Groups. 2000;80:917–919.

Ethics and Judicial Committee Disciplinary Action. 2000;80:414.

Goals. 2000;80:1143.

Guide for Conduct of the Affiliate Member. 2000;80:85–86.

Guide for Professional Conduct. 2000;80:82–84.

Membership Qualifications. 2000;80:1020–1021.

Membership Rights. 2000;80:1022.

Membership Statistics. 2000;80:627.

[1999 APTA Presidential Address: Leaders who inspire change. Richardson JK. 1999;79:1069–1074.]

- Letter to the editor. Caniglia AF. 2000;80:110.

Nominees for APTA National Office. 2000;80:306.

Report of the House of Delegates. 2000;80:916.

Staff. 2000;80:719.

Standards of Ethical Conduct for the Physical Therapist Assistant. 2000;80:85.

Standards of Practice for Physical Therapy. 2000;80:78–81.

Standing Rules. 2000;80:1023–1025.

[Thirtieth Mary McMillan Lecture: PT 2000: nurturing the profession. Campbell SK. 1999;79:1058–1068.]

- Letter to the editor. Caniglia AF. 2000;80:110.

Thirty-First Mary McMillan Lecture: A time to harvest, a time to sow: ethics for a shifting landscape. Purtilo RB. 2000;80:1112–1119.

2000 APTA Presidential Address: Tipping the scales of time. Richardson JK. 2000;80:1121–1124.

B

Balance

Balance and ankle range of motion in community-dwelling women aged 64 to 87 years: a correlational study. Mecagni C, Smith JP, Roberts KE, O'Sullivan SB. 2000;80:1004–1011.

Central causes of dizziness. Furman JM, Whitney SL. 2000;80:179–187.

Effects of footwear on measurements of balance and gait in women between the ages of 65 and 93 years. Arnadottir SA, Mercer VS. 2000;80:17–27.

[Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.]

- Letter to the editor. Soderberg GL, Robinson S. 2000;80:528.

- Author response. 2000;80:528.
- Letter to the editor. Irwin S. 2000;80:622–623.
- Author response. 2000;80:623–624.

Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test. Shumway-Cook A, Brauer S, Woollacott M. 2000;80:896–903.

Relationship among balance impairments, functional performance, and disability in people with peripheral vestibular hypofunction. Gill-Body KM, Beninato M, Krebs DE. 2000;80:748–758.

Use of visual feedback in retraining balance following acute stroke. Walker C, Brouwer BJ, Culham EG. 2000;80:886–895.

Biofeedback

Use of visual feedback in retraining balance following acute stroke. Walker C, Brouwer BJ, Culham EG. 2000;80:886–895.

C

Cardiac

General

Surgical innovations for chronic heart failure in the context of cardiopulmonary rehabilitation. Humphrey R, Arena R. 2000;80:61–69.

Tests and Measurements

Circulatory responses to voluntary and electrically induced muscle contractions in humans. Miller BF, Gruben KG, Morgan BJ. 2000;80:53–60.

Cerebral Palsy

Evaluation

Improved scaling of the Gross Motor Function Measure for children with cerebral palsy: evidence of reliability and validity. Russell DJ, Avery LM, Rosenbaum PL, et al. 2000;80:873–885.

A multivariate model of determinants of motor change for children with cerebral palsy. Bartlett DJ, Palisano RJ. 2000;80:598–614.

General

Validation of a model of gross motor function for children with cerebral palsy. Palisano RJ, Hanna SE, Rosenbaum PL, et al. 2000;80:974–985.

Community Health

Experiences of older women with cancer receiving hospice care: significance for physical therapy. Mackey KM, Sparling JW. 2000;80:459–468.

D

Death and Dying

Experiences of older women with cancer receiving hospice care: significance for physical therapy. Mackey KM, Sparling JW. 2000;80:459–468.

Decision Making

Expert practice in physical therapy. Jensen GM, Gwyer J, Shepard KF, Hack LM. 2000;80:28–43.

- Invited commentary. Bartlett DJ. 2000;80:44–46.
- Invited commentary. Mitchell RU. 2000;80:46–47.
- Invited commentary. Swaine BR. 2000;80:47–49.
- Author response. 2000;80:49–52.
- Letter to the editor. Smyntek DJ. 2000;80:530–531.
- Author response. 2000;80:531.

Use of a classification system to guide nonsurgical management of a patient with chronic low back pain. Maluf KS, Sahrmann SA, Van Dillen LR. 2000;80:1097–1111.

Writing patient-centered functional goals. Randall KE, McEwen IR. 2000;80:1197–1203.

Diabetes

Passive ankle stiffness in subjects with diabetes and peripheral neuropathy versus an age-matched comparison group. Salsich GB, Mueller MJ, Sahrmann SA. 2000;80:352–362.

E

Editor's Notes

Editor's note: The Agenda. Rothstein JM. 2000;80:446–447.

Editor's note: As professionals, as people—we must be activists. Rothstein JM. 2000;80:1074–1075.

[Editor's note: The curmudgeon finds good news! Rothstein JM. 1999;79:1120–1121.]

- Letter to the editor. Donati J. 2000;80:422–423.
- Letter to the editor. Fish SL. 2000;80:423–424.
- Letter to the editor. O'Hearn M. 2000;80:714–715.
- Letter to the editor. Irwin S. 2000;80:715–716.
- Letter to the editor. Bender DG. 2000;80:1018–1019.
- Letter to the editor. Dean E, Frownfelter D, Wong WP, et al. 2000; 80:1275–1278.

Editor's note: Election Night Lessons. Rothstein JM. 2000;80:1162–1163.

Editor's note: Evidence, or snake oil? Rothstein JM. 2000;80:851–852.

[Editor's note: Immelmann's indignation. Rothstein JM. 1999;79:1024–1025.]

- Letter to the editor. Caniglia AF. 2000;80:110.
- Letter to the editor. Dewey D. 2000; 80:112, 114.
- Editor's response. 2000;80:114–115.
- Letter to the editor. Kauffman T. 2000;80:416.

Editor's note: Mentor: another word, another fashion statement. Rothstein JM. 2000;80:954–955.

Editor's note: Neuroscience and spinal cord injury: plasticity in the brain, in the spinal cord—and in our way of thinking. Rothstein JM. 2000;80:650–651.

Editor's note: Research productivity: time to lead. Rothstein JM. 2000;80:746–747.

Editor's note: Sex appeal. Rothstein JM. 2000;80:238–239.

- Letter to the editor. Brown S. 2000;80:711.

Editor's note: So *we* say? Rothstein JM. 2000;80:334–335.

Editor's note: "Sweetness." Rothstein JM. 2000;80:126–127.

Editor's note: Talk to us. Rothstein JM. 2000;80:554–555.

Editor's note: Thirty years later. . . . Rothstein JM. 2000;80:6–7.

- Letter to the editor. Kaminker MK. 2000;80:530.

Education: Physical Therapist

Clinical Education

Use of The Blue MACS: acceptance by clinical instructors and self-reports of adherence. Hrachovy J, Clopton NA, Baggett K, et al. 2000;80:652–661.

Electromyography

Alterations in shoulder kinematics and associated muscle activity in people with symptoms of shoulder impingement. Ludewig PM, Cook TM. 2000;80:276–291.

A guide for use and interpretation of kinesiologic electromyographic data. Soderberg GL, Knutson LM. 2000;80:485–498.

- Correction. 2000;80:931.

Patellar kinematics, part I: the influence of vastus muscle activity in subjects with and without patellofemoral pain. Powers CM. 2000;80:956–964.

Patellar kinematics, part II: the influence of the depth of the trochlear groove in subjects with and without patellofemoral pain. Powers CM. 2000;80:965–973.

Equipment

General

Plantar pressure assessment. Orlin MN, McPoil TG. 2000;80:399–409.

Wheelchairs

Managing maneuverability and rear stability of adjustable manual wheelchairs: an update. Tomlinson JD. 2000;80:904–911.

Seating and mobility considerations for people with spinal cord injury. Minkel JL. 2000;80:701–709.

Exercise

General

[Acute effects of thirty minutes of light-intensity, intermittent exercise on patients with chronic fatigue syndrome. Clapp LL, Richardson MT, Smith JF, et al. 1999;79:749–756.]

- Letter to the editor. White P, Fulcher K. 2000;80:115.

Circulatory responses to voluntary and electrically induced muscle contractions in humans. Miller BF, Gruben KG, Morgan BJ. 2000;80:53–60.

The effects of intense physical exercise on secondary antibody response in young and old mice. Kapasi ZF, Catlin PA, Joyner DR, et al. 2000;80:1076–1086.

Submaximal exercise testing: clinical application and interpretation. Noonan V, Dean E. 2000;80:782–807.

Strengthening

Diagonal trunk muscle exercises in peripartum pelvic pain: a randomized clinical trial. Mens JMA, Snijders CJ, Stam HJ. 2000;80:1164–1173.

F

Fatigue

[Acute effects of thirty minutes of light-intensity, intermittent exercise on patients with chronic fatigue syndrome. Clapp LL, Richardson MT, Smith JF, et al. 1999;79:749–756.]

- Letter to the editor. White P, Fulcher K. 2000;80:115.

Effects of immobilization on plantar-flexion torque, fatigue resistance, and functional ability following an ankle fracture. Shaffer MA, Okereke E, Esterhai JL Jr, et al. 2000;80:769–780.

Foundation for Physical Therapy

Scholarships, Fellowships, and Grants. 2000;80:225, 310–311, 518–519, 628–629, 723–724, 826–827, 924–925, 1061–1062, 1146, 1273–1274.

Functional Training and Activities

Effects of squat lift training and free weight muscle training on maximum lifting load and isokinetic peak torque of young adults without impairments. Yeung SSM, Ng GYF. 2000;80:570–577.

Letter to the editor. [RE: Functional capacity evaluation.] Fishbain DA. 2000;80:110, 112.

Letter to the editor. [RE: Vocational rehabilitation perspective.] Cross DL. 2000;80:621.

Muscle force and range of motion as predictors of function in older adults. Beissner KL, Collins JE, Holmes H. 2000;80:556–563.

- Letter to the editor. Werner SW. 2000;80:1015.
- Author response. 2000;80:1015.

Reliability and responsiveness of two physical performance measures examined in the context of a functional training intervention. King MB, Judge JO, Whipple R, Wolfson L. 2000;80:8–16.

Writing patient-centered functional goals. Randall KE, McEwen IR. 2000;80:1197–1203.

G

Geriatrics

Balance and ankle range of motion in community-dwelling women aged 64 to 87 years: a correlational study. Mecagni C, Smith JP, Roberts KE, O'Sullivan SB. 2000;80:1004–1011.

Effectiveness of a bed positioning program for treating older adults with knee contractures who are institutionalized. Fox P, Richardson J, McInnes B, et al. 2000;80:363–372.

Effects of footwear on measurements of balance and gait in women between the ages of 65 and 93 years. Arnadottir SA, Mercer VS. 2000;80:17–27.

Experiences of older women with cancer receiving hospice care: significance for physical therapy. Mackey KM, Sparling JW. 2000;80:459–468.

[Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.]

- Letter to the editor. Soderberg GL, Robinson S. 2000;80:528.
- Author response. 2000;80:528.
- Letter to the editor. Irwin S. 2000;80:622–623.
- Author response. 2000;80:623–624.

Muscle force and range of motion as predictors of function in older adults. Beissner KL, Collins JE, Holmes H. 2000;80:556–563.

- Letter to the editor. Werner SW. 2000;80:1015.
- Author response. 2000;80:1015.

Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test. Shumway-Cook A, Brauer S, Woollacott M. 2000;80:896–903.

Turning difficulty characteristics of adults aged 65 years or older. Thigpen MT, Light KE, Creel GL, Flynn SM. 2000;80:1174–1187.

H

Health Care

Letter to the editor. [RE: Health care.] Hansen PD. 2000;80:527.

Home Care

Effectiveness of a home program of ischemic pressure followed by sustained stretch for treatment of myofascial trigger points. Hanten WP, Olson SL, Butts NL, Nowicki AL. 2000;80:997–1003.

Hydrotherapy

Pulsed lavage in wound cleansing. Luedtke-Hoffmann KA, Schafer DS. 2000;80:292–300.

K

Kinesiology and Biomechanics

Gait Analysis

Contributions of lower-limb muscle power in gait of people without impairments. Sadeghi H, Allard P, Duhaime M. 2000;80:1188–1196.

Effects of footwear on measurements of balance and gait in women between the ages of 65 and 93 years. Arnadottir SA, Mercer VS. 2000;80:17–27.

Plantar pressure assessment. Orlin MN, McPoil TG. 2000;80:399–409.

Spinal cord control of movement: implications for locomotor rehabilitation following spinal cord injury. Field-Fote EC. 2000;80:477–484.

Turning difficulty characteristics of adults aged 65 years or older. Thigpen MT, Light KE, Creel GL, Flynn SM. 2000;80:1174–1187.

General

A guide for use and interpretation of kinesiologic electromyographic data. Soderberg GL, Knutson LM. 2000;80:485–498.

- Correction. 2000;80:931.

Lower Extremity

Lower-extremity compensations following anterior cruciate ligament reconstruction. Ernst GP, Saliba E, Diduch DR, et al. 2000;80:251–260.

Passive ankle stiffness in subjects with diabetes and peripheral neuropathy versus an age-matched comparison group. Salsich GB, Mueller MJ, Sahrmann SA. 2000;80:352–362.

Trunk

Lumbar lordosis and pelvic inclination in adults with chronic low back pain. Youdas JW, Garrett TR, Egan KS, Therneau TM. 2000;80:261–275.

Upper Extremity

Alterations in shoulder kinematics and associated muscle activity in people with symptoms of shoulder impingement. Ludewig PM, Cook TM. 2000;80:276–291.

L

Locomotion

Locomotor training after human spinal cord injury: a series of case studies. Behrman AL, Harkema SJ. 2000;80:688–700.

Neuroanatomical substrates of functional recovery after experimental spinal cord injury: implications of basic science research for human spinal cord injury. Basso DM. 2000;80:808–817.

Lower Extremity

Ankle and Foot

Balance and ankle range of motion in community-dwelling women aged 64 to 87 years: a correlational study. Mecagni C, Smith JP, Roberts KE, O'Sullivan SB. 2000;80:1004–1011.

Effects of immobilization on plantar-flexion torque, fatigue resistance, and functional ability following an ankle fracture. Shaffer MA, Okereke E, Esterhai JL Jr, et al. 2000;80:769–780.

Measurements used to characterize the foot and the medial longitudinal arch: reliability and validity. Williams DS, McClay IS. 2000;80:864–871.

Passive ankle stiffness in subjects with diabetes and peripheral neuropathy versus an age-matched comparison group. Salsich GB, Mueller MJ, Sahrmann SA. 2000;80:352–362.

Plantar pressure assessment. Orlin MN, McPoil TG. 2000;80:399–409.

General

Contributions of lower-limb muscle power in gait of people without impairments. Sadeghi H, Allard P, Duhaime M. 2000;80:1188–1196.

[Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.]

- Letter to the editor. Soderberg GL, Robinson S. 2000;80:528.
- Author response. 2000;80:528.
- Letter to the editor. Irwin S. 2000;80:622–623.
- Author response. 2000;80:623–624.

Muscle force and range of motion as predictors of function in older adults. Beissner KL, Collins JE, Holmes H. 2000;80:556–563.

- Letter to the editor. Werner SW. 2000;80:1015.
- Author response. 2000;80:1015.

Hip

An analysis of the relationship between the utilization of physical therapy services and outcomes of care for patients after total hip arthroplasty. Freburger JK. 2000;80:448–458.

Diagonal trunk muscle exercises in peripartum pelvic pain: a randomized clinical trial. Mens JMA, Snijders CJ, Stam HJ. 2000;80:1164–1173.

[Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.]

- Letter to the editor. Cibulka MT, Aslin K. 2000;80:414.
- Author response. 2000;80:414–415.

[Measurement of sacroiliac joint dysfunction: a multicenter intertester reliability study. Freburger JK, Riddle DL. 1999;79:1133–1140.]

- Letter to the editor. Cibulka MT, Aslin K. 2000;80:528–529.
- Author response. 2000;80:529.

Turning difficulty characteristics of adults aged 65 years or older. Thigpen MT, Light KE, Creel GL, Flynn SM. 2000;80:1174–1187.

Knee

Effectiveness of a bed positioning program for treating older adults with knee contractures who are institutionalized. Fox P, Richardson J, McInnes B, et al. 2000;80:363–372.

The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physically active individuals. Fitzgerald GK, Axe MJ, Snyder-Mackler L. 2000;80:128–140.

- Conference. Rothstein JM, DeCarlo MS, Irrgang JJ, Wilk KE. 2000;80:141–150.
- Author comment. 2000;80:150–151.
- Correction. 2000;80:416.
- Letter to the editor. Myers C. 2000;80:526.
- Author response. 2000;80:527.

Lower-extremity compensations following anterior cruciate ligament reconstruction. Ernst GP, Saliba E, Diduch DR, et al. 2000;80:251–260.

Patellar kinematics, part I: the influence of vastus muscle activity in subjects with and without patellofemoral pain. Powers CM. 2000;80:956–964.

Patellar kinematics, part II: the influence of the depth of the trochlear groove in subjects with and without patellofemoral pain. Powers CM. 2000;80:965–973.

M

Manual Therapy

End-range mobilization techniques in adhesive capsulitis of the shoulder joint: a multiple-subject case report. Vermeulen HM, Obermann WR, Burger BJ, et al. 2000;80:1204–1213.

Letter to the editor. [RE: Spinal manipulation.] Johnson D, Rogers M. 2000;80:820–823.

Medical Conditions

Examination and treatment of a patient with hypermobility syndrome. Russek LN. 2000;80:386–398.

Motor Activity

Improved scaling of the Gross Motor Function Measure for children with cerebral palsy: evidence of reliability and validity. Russell DJ, Avery LM, Rosenbaum PL, et al. 2000;80:873–885.

Patellar kinematics, part I: the influence of vastus muscle activity in subjects with and without patellofemoral pain. Powers CM. 2000;80:956–964.

Patellar kinematics, part II: the influence of the depth of the trochlear groove in subjects with and without patellofemoral pain. Powers CM. 2000;80:965–973.

Validation of a model of gross motor function for children with cerebral palsy. Palisano RJ, Hanna SE, Rosenbaum PL, et al. 2000;80:974–985.

Motor Skills

Alberta Infant Motor Scale: reliability and validity when used on preterm infants in Taiwan. Jeng SF, Yau KIT, Chen LC, Hsiao SF. 2000;80:168–178.

Effects of attentional focus, self-control, and dyad training on motor learning: implications for physical rehabilitation. McNevin NH, Wulf G, Carlson C. 2000;80:373–385.

Use of a classification system to guide nonsurgical management of a patient with chronic low back pain. Maluf KS, Sahrmann SA, Van Dillen LR. 2000;80:1097–1111.

Movement Science

[An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. Blanton S, Wolf SL. 1999;79:847–853.]

- Letter to the editor. Van der Lee JH, Beckerman H, Lankhorst GJ, Bouter LM. 2000;80:711–712.
- Author response. 2000;80:712–713.

Investigation of trunk and extremity movement associated with passive head turning in newborns. Clopton NA, Duvall T, Ellis B, et al. 2000;80:152–159.

Movement disorders in people with Parkinson disease: a model for physical therapy. Morris ME. 2000;80:578–597.

Spinal cord control of movement: implications for locomotor rehabilitation following spinal cord injury. Field-Fote EC. 2000;80:477–484.

Turning difficulty characteristics of adults aged 65 years or older. Thigpen MT, Light KE, Creel GL, Flynn SM. 2000;80:1174–1187.

Muscle

Circulatory responses to voluntary and electrically induced muscle contractions in humans. Miller BF, Gruben KG, Morgan BJ. 2000;80:53–60.

Muscle Performance

General

Abdominal muscle response during curl-ups on both stable and labile surfaces. Vera-Garcia FJ, Grenier SG, McGill SM. 2000;80:564–569.

Effects of squat lift training and free weight muscle training on maximum lifting load and isokinetic peak torque of young adults without impairments. Yeung SSM, Ng GYF. 2000;80:570–577.

Lower Extremity

Contributions of lower-limb muscle power in gait of people without impairments. Sadeghi H, Allard P, Duhaime M. 2000;80:1188–1196.

Diagonal trunk muscle exercises in peripartum pelvic pain: a randomized clinical trial. Mens JMA, Snijders CJ, Stam HJ. 2000;80:1164–1173.

Effectiveness of a bed positioning program for treating older adults with knee contractures who are institutionalized. Fox P, Richardson J, McInnes B, et al. 2000;80:363–372.

[Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.]

- Letter to the editor. Soderberg GL, Robinson S. 2000;80:528.
- Author response. 2000;80:528.
- Letter to the editor. Irwin S. 2000;80:622–623.
- Author response. 2000;80:623–624.

Muscle force and range of motion as predictors of function in older adults. Beissner KL, Collins JE, Holmes H. 2000;80:556–563.

- Letter to the editor. Werner SW. 2000;80:1015.
- Author response. 2000;80:1015.

Passive ankle stiffness in subjects with diabetes and peripheral neuropathy versus an age-matched comparison group. Salsich GB, Mueller MJ, Sahrmann SA. 2000;80:352–362.

Patellar kinematics, part I: the influence of vastus muscle activity in subjects with and without patellofemoral pain. Powers CM. 2000;80:956–964.

Patellar kinematics, part II: the influence of the depth of the trochlear groove in subjects with and without patellofemoral pain. Powers CM. 2000;80:965–973.

Measurement

Detrimental effects of short-term glucocorticoid use on the rat diaphragm. Eason JM, Dodd SL, Powers SK, Martin AD. 2000;80:160–167.

Trunk

Lumbar lordosis and pelvic inclination in adults with chronic low back pain. Youdas JW, Garrett TR, Egan KS, Therneau TM. 2000;80:261–275.

Musculoskeletal Injury

[Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants. Holder NL, Clark HA, DiBlasio JM, et al. 1999;79:642–652.

- Letter to the editor. Hart DL. 1999; 79:1084, 1086.
- Author response. 1999;79:1088.]
- Letter to the editor. Cromie JE, Robertson VJ, Best MO. 2000;80:529–520.
- Letter to the editor. Hart DL. 2000;80:621–622.

Work-related musculoskeletal disorders in physical therapists: prevalence, severity, risks, and responses. Cromie JE, Robertson VJ, Best MO. 2000;80: 336–351.

N

Neck and Trunk

Back

Diagonal trunk muscle exercises in peripartum pelvic pain: a randomized clinical trial. Mens JMA, Snijders CJ, Stam HJ. 2000;80:1164–1173.

Effectiveness of a home program of ischemic pressure followed by sustained stretch for treatment of myofascial trigger points. Hanten WP, Olson SL, Butts NL, Nowicki AL. 2000;80:997–1003.

[Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.]

- Letter to the editor. Cibulka MT, Aslin K. 2000;80:414.

• Author response. 2000;80:414–415.

Lumbar lordosis and pelvic inclination in adults with chronic low back pain. Youdas JW, Garrett TR, Egan KS, Therneau TM. 2000;80:261–275.

The relationship of lumbar flexion to disability in patients with low back pain. Sullivan MS, Shoaf LD, Riddle DL. 2000;80:240–250.

Use of a classification system to guide nonsurgical management of a patient with chronic low back pain. Maluf KS, Sahrmann SA, Van Dillen LR. 2000;80:1097–1111.

General

Investigation of trunk and extremity movement associated with passive head turning in newborns. Clopton NA, Duvall T, Ellis B, et al. 2000;80:152–159.

Neuromuscular Disorders

General

Effects of immobilization on plantar-flexion torque, fatigue resistance, and functional ability following an ankle fracture. Shaffer MA, Okereke E, Esterhai JL Jr, et al. 2000;80:769–780.

Parkinson Disease

Development of an activity scale for individuals with advanced Parkinson disease: reliability and "on-off" variability. Nieuwboer A, De Weerdt W, Dom R, et al. 2000;80:1087–1096.

Movement disorders in people with Parkinson disease: a model for physical therapy. Morris ME. 2000;80:578–597.

O

Oncology

Experiences of older women with cancer receiving hospice care: significance for physical therapy. Mackey KM, Sparling JW. 2000;80:459–468.

Orthopedics

Fractures

Effects of immobilization on plantar-flexion torque, fatigue resistance, and functional ability following an ankle fracture. Shaffer MA, Okereke E, Esterhai JL Jr, et al. 2000;80:769–780.

Turning difficulty characteristics of adults aged 65 years or older. Thigpen MT, Light KE, Creel GL, Flynn SM. 2000;80:1174–1187.

General

Examination and treatment of a patient with hypermobility syndrome. Russek LN. 2000;80:386–398.

P

Pain

Diagonal trunk muscle exercises in peripartum pelvic pain: a randomized clinical trial. Mens JMA, Snijders CJ, Stam HJ. 2000;80:1164–1173.

Effectiveness of a home program of ischemic pressure followed by sustained stretch for treatment of myofascial trigger points. Hanten WP, Olson SL, Butts NL, Nowicki AL. 2000;80:997–1003.

[Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.]

• Letter to the editor. Cibulka MT, Aslin K. 2000;80:414.

• Author response. 2000;80:414–415.

Lumbar lordosis and pelvic inclination in adults with chronic low back pain. Youdas JW, Garrett TR, Egan KS, Therneau TM. 2000;80:261–275.

Patellar kinematics, part I: the influence of vastus muscle activity in subjects with and without patellofemoral pain. Powers CM. 2000;80:956–964.

Patellar kinematics, part II: the influence of the depth of the trochlear groove in subjects with and without patellofemoral pain. Powers CM. 2000;80:965–973.

The relationship of lumbar flexion to disability in patients with low back pain. Sullivan MS, Shoaf LD, Riddle DL. 2000;80:240–250.

Use of a classification system to guide nonsurgical management of a patient with chronic low back pain. Maluf KS, Sahrmann SA, Van Dillen LR. 2000;80:1097–1111.

Pediatrics

Evaluation

Alberta Infant Motor Scale: reliability and validity when used on preterm infants in Taiwan. Jeng SF, Yau KIT, Chen LC, Hsiao SF. 2000;80:168–178.

Improved scaling of the Gross Motor Function Measure for children with cerebral palsy: evidence of reliability and validity. Russell DJ, Avery LM, Rosenbaum PL, et al. 2000;80:873–885.

Investigation of trunk and extremity movement associated with passive head turning in newborns. Clopton NA, Duvall T, Ellis B, et al. 2000;80:152–159.

A multivariate model of determinants of motor change for children with cerebral palsy. Bartlett DJ, Palisano RJ. 2000;80:598–614.

Validation of a model of gross motor function for children with cerebral palsy. Palisano RJ, Hanna SE, Rosenbaum PL, et al. 2000;80:974–985.

Peripheral Nerve Lesions

Lower Extremity

Passive ankle stiffness in subjects with diabetes and peripheral neuropathy versus an age-matched comparison group. Salsich GB, Mueller MJ, Sahrmann SA. 2000;80:352–362.

Pharmacology

Detrimental effects of short-term glucocorticoid use on the rat diaphragm. Eason JM, Dodd SL, Powers SK, Martin AD. 2000:80:160–167.

Physical Therapy Profession

Professional Issues

[Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants. Holder NL, Clark HA, DiBlasio JM, et al. 1999;79:642–652.

• Letter to the editor. Hart DL. 1999; 79:1084, 1086.

• Author response. 1999;79:1088.]

• Letter to the editor. Cromie JE, Robertson VJ, Best MO. 2000;80:529–520.

• Letter to the editor. Hart DL. 2000;80:621–622.

[Editor's note: The curmudgeon finds good news! Rothstein JM. 1999;79:1120–1121.]

• Letter to the editor. Donati J. 2000;80:422–423.

• Letter to the editor. Fish SL. 2000;80:423–424.

• Letter to the editor. O'Hearn M. 2000;80:714–715.

• Letter to the editor. Irwin S. 2000;80:715–716.

• Letter to the editor. Bender DG. 2000;80:1018–1019.

• Letter to the editor. Dean E, Frownfelter D, Wong WP, et al. 2000;80:1275–1278.

Editor's note: Research productivity: time to lead. Rothstein JM. 2000;80:746–747.

Expert practice in physical therapy. Jensen GM, Gwyer J, Shepard KF, Hack LM. 2000;80:28–43.

- Invited commentary. Bartlett DJ. 2000;80:44–46.
- Invited commentary. Mitchell RU. 2000;80:46–47.
- Invited commentary. Swaine BR. 2000;80:47–49.
- Author response. 2000;80:49–52.
- Letter to the editor. Smyntek DJ. 2000;80:530–531.
- Author response. 2000;80:531.

Letter to the editor. [RE: Spinal manipulation.] Johnson D, Rogers M. 2000;80:820–823.

Work-related musculoskeletal disorders in physical therapists: prevalence, severity, risks, and responses. Cromie JE, Robertson VJ, Best MO. 2000;80:336–351.

Pulmonary

Chronic Obstructive Pulmonary Disease

Quality of life after pulmonary rehabilitation: assessing change using quantitative and qualitative methods. Camp PG, Appleton J, Reid WD. 2000;80:986–995.

General

[Cough threshold in people with spinal cord injuries. Lin KH, Lai YL, Wu HD, et al. 1999;79:1026–1031.]

- Letter to the editor. Beraldo PSS, Mateus SRM, Fernandes MCBC. 2000;80:416.
- Author response. 2000;80:416.

Physical therapy for a patient in acute respiratory failure. Wong WP. 2000;80:662–670.

Surgical innovations for chronic heart failure in the context of cardiopulmonary rehabilitation. Humphrey R, Arena R. 2000;80:61–69.

Tests and Measurements

Submaximal exercise testing: clinical application and interpretation. Noonan V, Dean E. 2000;80:782–807.

R

Rehabilitation

Abdominal muscle response during curl-ups on both stable and labile surfaces. Vera-Garcia FJ, Grenier SG, McGill SM. 2000;80:564–569.

[An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. Blanton S, Wolf SL. 1999;79:847–853.]

- Letter to the editor. Van der Lee JH, Beckerman H, Lankhorst GJ, Bouter LM. 2000;80:711–712.
- Author response. 2000;80:712–713.

Central causes of dizziness. Furman JM, Whitney SL. 2000;80:179–187.

Effects of attentional focus, self-control, and dyad training on motor learning: implications for physical rehabilitation. McNevin NH, Wulf G, Carlson C. 2000;80:373–385.

Effects of immobilization on plantar-flexion torque, fatigue resistance, and functional ability following an ankle fracture. Shaffer MA, Okereke E, Esterhai JL Jr, et al. 2000;80:769–780.

The efficacy of perturbation training in nonoperative anterior cruciate ligament rehabilitation programs for physically active individuals. Fitzgerald GK, Axe MJ, Snyder-Mackler L. 2000;80:128–140.

- Conference. Rothstein JM, DeCarlo MS, Irrgang JJ, Wilk KE. 2000;80:141–150.
- Author comment. 2000;80:150–151.
- Correction. 2000;80:416.
- Letter to the editor. Myers C. 2000;80:526.
- Author response. 2000;80:527.

Quality of life after pulmonary rehabilitation: assessing change using quantitative and qualitative methods. Camp PG, Appleton J, Reid WD. 2000;80:986–995.

Seating and mobility considerations for people with spinal cord injury. Minkel JL. 2000;80:701–709.

Submaximal exercise testing: clinical application and interpretation. Noonan V, Dean E. 2000;80:782–807.

Surgical innovations for chronic heart failure in the context of cardiopulmonary rehabilitation. Humphrey R, Arena R. 2000;80:61–69.

Use of visual feedback in retraining balance following acute stroke. Walker C, Brouwer BJ, Culham EG. 2000;80:886–895.

Research

Clinical Research Agenda for Physical Therapy. 2000;80:499–513.

Editor's note: Research productivity: time to lead. Rothstein JM. 2000;80:746–747.

S

Spinal Cord Dysfunction

[Cough threshold in people with spinal cord injuries. Lin KH, Lai YL, Wu HD, et al. 1999;79:1026–1031.]

- Letter to the editor. Beraldo PSS, Mateus SRM, Fernandes MCBC. 2000;80:416.
- Author response. 2000;80:416.

Editor's note: Neuroscience and spinal cord injury: plasticity in the brain, in the spinal cord—and in our way of thinking. Rothstein JM. 2000;80:650–651.

Locomotor training after human spinal cord injury: a series of case studies. Behrman AL, Harkema SJ. 2000;80:688–700.

Managing maneuverability and rear stability of adjustable manual wheelchairs: an update. Tomlinson JD. 2000;80:904–911.

Neuroanatomical substrates of functional recovery after experimental spinal cord injury: implications of basic science research for human spinal cord injury. Basso DM. 2000;80:808–817.

Seating and mobility considerations for people with spinal cord injury. Minkel JL. 2000;80:701–709.

Spinal cord control of movement: implications for locomotor rehabilitation following spinal cord injury. Field-Fote EC. 2000;80:477–484.

Spinal cord injury: the bridge between basic science and clinical practice. Craik RL. 2000;80:671–672.

Vascular events after spinal cord injury: contribution to secondary pathogenesis. Mautes AEM, Weinzierl MR, Donovan F, Noble LJ. 2000;80:673–687.

T

Tests and Measurements

Functional

Alberta Infant Motor Scale: reliability and validity when used on preterm infants in Taiwan. Jeng SF, Yau KIT, Chen LC, Hsiao SF. 2000;80:168–178.

Effects of footwear on measurements of balance and gait in women between the ages of 65 and 93 years. Arnadottir SA, Mercer VS. 2000;80:17–27.

[Four clinical tests of sacroiliac joint dysfunction: the association of test

results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.] ke

- Letter to the editor. Cibulka MT, Aslin K. 2000;80:414.
- Author response. 2000;80:414–415.

Letter to the editor. [RE: Functional capacity evaluation.] Fishbain DA. 2000; 80:110, 112.

Letter to the editor. [RE: Vocational rehabilitation perspective.] Cross DL. 2000;80:621.

Lower-extremity compensations following anterior cruciate ligament reconstruction. Ernst GP, Saliba E, Diduch DR, et al. 2000;80:251–260.

Relationship among balance impairments, functional performance, and disability in people with peripheral vestibular hypofunction. Gill-Body KM, Beninato M, Krebs DE. 2000;80:748–758.

Reliability and responsiveness of two physical performance measures examined in the context of a functional training intervention. King MB, Judge JO, Whipple R, Wolfson L. 2000;80:8–16.

General

Comparison of the University of California–Los Angeles Shoulder Scale and the Simple Shoulder Test with the Shoulder Pain and Disability Index: single-administration reliability and validity. Roddey TS, Olson SL, Cook KF, et al. 2000;80:759–768.

Development of an activity scale for individuals with advanced Parkinson disease: reliability and "on-off" variability. Nieuwboer A, De Weerdt W, Dom R, et al. 2000;80:1087–1096.

The development of an instrument to measure satisfaction with physical therapy. Goldstein MS, Elliott SD, Guccione AA. 2000;80:853–863.

Improved scaling of the Gross Motor Function Measure for children with cerebral palsy: evidence of reliability and validity. Russell DJ, Avery LM, Rosenbaum PL, et al. 2000;80:873–885.

[Measurement of sacroiliac joint dysfunction: a multicenter intertester reliability study. Freburger JK, Riddle DL. 1999;79:1133–1140.]

- Letter to the editor. Cibulka MT, Aslin K. 2000;80:528–529.
- Author response. 2000;80:529.

Measurements used to characterize the foot and the medial longitudinal arch: reliability and validity. Williams DS, McClay IS. 2000;80:864–871.

Number needed to treat: a statistic relevant for physical therapists. Dalton GW, Keating JL. 2000;80:1214–1219.

Plantar pressure assessment. Orlin MN, McPoil TG. 2000;80:399–409.

Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test. Shumway-Cook A, Brauer S, Woollacott M. 2000;80:896–903.

Use of The Blue MACS: acceptance by clinical instructors and self-reports of adherence. Hrachovy J, Clopton NA, Baggett K, et al. 2000;80:652–661.

Range of Motion

The relationship of lumbar flexion to disability in patients with low back pain. Sullivan MS, Shoaf LD, Riddle DL. 2000;80:240–250.

Transcutaneous Electrical Nerve Stimulation

Circulatory responses to voluntary and electrically induced muscle contractions in humans. Miller BF, Gruben KG, Morgan BJ. 2000;80:53–60.

U

Ultrasound

Effectiveness of wound care products in the transmission of acoustic energy. Klucinec B, Scheidler M, Denegar C, et al. 2000;80:469–476.

- Author correction. 2000;80:820.
- Letter to the editor. Burks RI. 2000;80:1015–1016.
- Author response. 2000;80:1016–1017.

Upper Extremity

General

[An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. Blanton S, Wolf SL. 1999;79:847–853.]

- Letter to the editor. Van der Lee JH, Beckerman H, Lankhorst GJ, Bouter LM. 2000;80:711–712.
- Author response. 2000;80:712–713.

Shoulder

Alterations in shoulder kinematics and associated muscle activity in people with symptoms of shoulder impingement. Ludewig PM, Cook TM. 2000;80:276–291.

Comparison of the University of California–Los Angeles Shoulder Scale and the Simple Shoulder Test with the Shoulder Pain and Disability Index: single-administration reliability and validity. Roddey TS, Olson SL, Cook KF, et al. 2000;80:759–768.

End-range mobilization techniques in adhesive capsulitis of the shoulder joint: a multiple-subject case report. Vermeulen HM, Obermann WR, Burger BJ, et al. 2000;80:1204–1213.

V

Vestibular System

Central causes of dizziness. Furman JM, Whitney SL. 2000;80:179–187.

Relationship among balance impairments, functional performance, and disability in people with peripheral vestibular hypofunction. Gill-Body KM, Beninato M, Krebs DE. 2000;80:748–758.

W

Wound Management

Effectiveness of wound care products in the transmission of acoustic energy. Klucinec B, Scheidler M, Denegar C, et al. 2000;80:469–476.

- Author correction. 2000;80:820.
- Letter to the editor. Burks RI. 2000;80:1015–1016.
- Author response. 2000;80:1016–1017.

Pulsed lavage in wound cleansing. Luedtke-Hoffmann KA, Schafer DS. 2000;80:292–300.